



**CATALOG**  
2024-2026

# Ne♥Wood

*Passion for building the deck since 2008*




An Ideal Replacement for Wood using technology from Belgium



# NeoWood Composite Decking



**THE SENTRAL RESIDENCES  
@ KL CENTRAL**



**THE CAPER  
@ SENTUL EAST**



**AMARYLLIS  
@ TAMAN SARI RAWANG**




**D'VERVAIN  
@ KOTA DAMANSARA**



**THE SENTRAL RESIDENCES  
@ KL CENTRAL**



## Decking Installation Sketch



## Accessories



**0.6-1.0mm**  
Shield available  
Excellent Water-proof

**360°** Fully Capped with  
Thick Protective Layer



## What makes NeoWood a leading composite decking supplier?

NeoWood is a composite decking supplier born from the belief that superior product quality does not need to come at the expense of a premium price tag. The business has flourished from this commitment that originated in its former years, when supplying based builders merchants with unbranded composite decking solutions. Six years and 1000's of deck boards later – a composite decking brand was born that strived to do what others had failed to: provide genuine value in the form of great quality composite decking boards, for a reasonable price.

Today, our composite decking company is made up of a dedicated team of problem solvers who are passionate about providing you with the best suited products for your requirements. Here's an insight into some of the commitments we make to our customers...





## COMPOSITE DECKING DIRECT FROM OUR DOOR TO YOURS

A composite decking brand which prides itself on its service – NeoWood is the sole composite decking distributor of its own products. That means that when you deal with NeoWood, you order your composite decking direct: no middle-men, no third-party resellers and no out-of-touch, untrained sales staff. This subsequent service gives you the value that you'd expect from dealing direct with a composite decking wholesalers. We are composite decking stockist who is serious about the service we provide, offering the following benefits to our customers:

- 01** We offer a 3-5 working day express delivery option direct to peninsular malaysia – even in peak times
- 02** You deal with a knowledgeable team of problem solvers who will guide you through your decision
- 03** We stock a deliberately small product range, keeping things simple and allowing us to ensure the highest product quality possible
- 04** We provide unrivalled service, communication and a selection of free decking samples for everyone
- 05** We are a composite decking retailer meaning consumers can easily buy composite decking online, direct and over the phone
- 06** We are also a composite decking wholesaler, offering businesses discount for bulk buys

### Composite Decking Distributor With A Focus On Producing Pure Quality!

We apply our expertise in composite decking distributor to guarantee that our boards are of the highest quality. From ensuring that our Bamboo board remains one of the most durable hollow boards on the market, to boasting a deluxe (reversible) feature across all boards, we apply meticulous attention to detail to both ranges in order to better match our customer's high expectations.



This claim is further supported by the fact that we back up our commitment to deliver high-quality, long-lasting products. We offer a unique promise in the form of a 25-year residential warranty and 10 year commercial warranty for deluxe series and 10 years domestic warranty for bamboo series ranges (not just our premium range). How's that for a composite decking distributors commitment to quality?

### Applying A Design-Led Approach

We continue to improve not only the performance of our products, but also their looks. The depth, texture and authenticity of the wood grain finish of our boards is something that we work tirelessly to improve. In fact, we see it as our duty to disprove the common misbelief that has plagued the industry for so long: that all composite decking has a plastic, shiny finish that tarnishes its looks.

Take our Bamboo deck board, for instance... we have made it our mission to ensure that the hollow nature of this board does not compromise the quality of its finish (as is often the case with competing products). With plenty of hard work, we have ensured that this board is indistinguishable to its bigger brother, the Bicolor Deluxe deck board... A far cry from the often artificial feel and printed finish of most other composite boards.



### A Composite Decking Brand That Offers Unbeatable Value

At NeoWood, our priority is to bring you quality, choice and value, thanks to our knowledge and insight into the latest ideas and solutions in the world of composite decking. We are committed to bringing you the latest decking to improve your outdoor environment without costing the earth.

While we place the above values at the very heart of what we do, we make the commitment that this does not need to be compromised with extortionate prices or poor customer service. We continue to build our expertise, better our product range and provide more affordable solutions to you, the consumer (and what's more – we're always improving).



# COMPOSITE DECKING VS WOOD

## What is composite decking?

Composite decking is an innovative outdoor flooring solution that is engineered to better withstand the damaging effects of weathering. Consisting of a unique blend of wood fibres and recycled plastic, this decking alternative provides excellent resistance to the effects of weathering that often plague more traditional timber decking products.

When considering whether to proceed with a wood or composite deck material for your project, while no one can doubt the aesthetic merits of timber, we believe that an innovative, high-performing alternative exists that benefits you and your wallet, as well as saving you the back-breaking amount of time for upkeep and maintenance. NeoWood composite decking offers just the right blend of material and a unique and defined finish to guarantee authenticity and superior performance in equal measure.



## Advantages Of Composite Decking

Here's the 5 key advantages of composite decking vs wood:

### A LONG-LIFE DECKING ALTERNATIVE TO TIMBER

Offering a 25-year warranty across the entire range, NeoWood high quality composite decking is engineered to go the distance. The unique material blend of wood fibre and recycled plastic makes it far more resilient to issues that often plague timber decking. Even with treatment, the effects of moisture build-up undoubtedly take a hold of traditional timber decking and the demise of your timber decking becomes inevitable. In comparison, a composite offers a reliable solution that you can count on, from winter through to summer, year-after-year.

### EASY-CARE, HIGH QUALITY DECKING

Hours of exasperating care and maintenance often come hand-in-hand with your decision to purchase a timber deck and the threat of warping, rotting, cracking and splintering looms large as the weather takes its toll. Investing in composite decking allows you to leave the expensive tubs of sealant, paint and oil on the shelves and save the backache of maintenance. The moisture resistance of our composite decking guarantees a tougher, more robust material that requires little-to-no maintenance. Save your time and money enjoying your outdoor space.

### OFFERING LONG-TERM SAFETY AND ASSURANCE

Timber decking owners are often faced with the daunting task of ensuring the long-term safety of their decking area. The often crippling effects of rot and moisture build-up can leave timber decks weakened, unstable and full of splinters, while excessive moss and algae growth can turn your decking into a death trap. Removing this lingering anxiety, our composite decking provides you with peace of mind on both its superior slip-resistance and long-term structural integrity. The material composition and design of our boards guarantees that they outperform wooden decking alternatives and offer long-term reassurance.

### YOUR WALLET WILL THANK YOU IN THE LONG-RUN

Opting for timber decking may seem like the wisest option for your wallet and we get why you may think that... it is no secret that timber materials provide a more cost-effective solution in the short-run. But a cost that is so often overlooked is that related to maintenance and upkeep of your boards over their lifetime. In an attempt to fight the inevitable effects of weathering, the expense of stripping, painting and oiling your timber deck soon racks up and the expected savings of choosing this option rapidly diminishes. We believe customers nowadays are a little smarter and opt for the investment, not the short-term fix.

### COMPOSITE OFFERS DISTINCT LOOKS THAT LAST

The undeniable beauty of timber is what has traditionally made it such an appealing option for outdoor flooring. However, it is no great secret that timber's beauty begins to dwindle without tiresome upkeep. Cracks, fade marks, blackening and splinters soon appear, and your once adored timber deck begins to look tired and unloved. NeoTimber deck boards are designed to not only mimic the aesthetics of timber but are engineered to ensure that these looks last, even after years of weathering. The result is that they remain a defining feature of your outdoor space for years to come.



## THE BENEFITS OF NEOWOOD COMPOSITE DECKING



No Algae Growth



No Rotting



No Structural  
Weakness



No Cracking  
Or Splintering



No Warping



No Painting Or Staining



No Blackened  
Decking



No Treating Or Oiling



No Insect Damage



No Excessive Fading



No Water  
Damage



No Excessive  
Shrinking

### NEOWOOD DECKING PRODUCT FEATURES EXPLAINED

Product features that ensure your safety and peace of mind.

A good composite decking product will provide any outdoor space with an authentic, contemporary finish, as well as a wide array of features that ensure your safety and peace of mind for years to come – giving you the time and head space to truly enjoy your deck area.

Here we have dissected our entire product range and outlined their key features; this section of the site is designed to inform you of the features that truly set NeoWood apart and point you in the direction of the ideal product for your project.



## MAINTENANCE FREE

### Opt for a little-to-no maintenance decking solution.

Give yourself a break with a low-maintenance decking solution. The average decking area has a lot to contend with. Whether its months of rain, sleet and snow that bring moisture build up, or summer-long heat waves that ensure months of dry and warm weather. A good decking solution needs to be able to stand up to all of the things that the weather throws at it and if it doesn't then users are faced with constant maintenance and upkeep... Only adding to the day-to-day headaches of life.

### A Little Care And Attention Twice A Year – That's All We Recommend

Unfortunately there is no such thing as zero maintenance decking or no maintenance decking but NeoWood products are an almost maintenance free decking solution, which come with the guarantee of little-to-no upkeep across their long life. The blend of wood and plastic ensures that the boards remain resistant to moisture, which is often the key contributor to high-maintenance timber alternatives. The board's moisture-resistant seal ensures that they do not suffer from the damaging effects of the weather which, left untreated can often wreak havoc on more traditional timber decking solutions.

A twice yearly clean of your deck using domestic grade soap, warm water and a soft brush is the extent of the maintenance that we recommend. Not only does this ensure that the boards remain at their sparkling best, but also removes any material build up that can sometimes collect between boards (which is key to ensuring your low-maintenance composite decking isn't affected by moisture build up).

### For A Deeper Clean

While we believe the above level of maintenance is enough for most decking environments – we do understand that all areas are different, and some require a higher level of upkeep. Although our nearly maintenance free decking boards are perfectly suited to the outdoors – we know that without the protection of the indoors, things can get messy. Say for instance, your decking area is under a tree that has a tendency to shed its autumn leaves, or your area is used to entertain clumsy guests who are prone to spilling a drop of wine now and again. Water-based composite cleaning products can offer that deep clean and added level of care that is sometimes required.

### Some More Maintenance Tips

Follow the tips below to make sure you properly care for your low maintenance decking:

- ✓ Remove residue between boards to avoid build-up
- ✓ Do not stain the boards
- ✓ Sweep excess material from the surface
- ✓ Act quickly when spills occur
- ✓ Avoid using rubber-backed rugs
- ✓ Incorporate drainage to your subframe
- ✓ Ensure sufficient airflow beneath your decking

### The High Maintenance Alternatives

Where our composite boards come with a guarantee of next-to-no maintenance; high-maintenance alternatives, such as timber decking come with the guarantee of tiresome upkeep.

#### Timber

Timber comes with the promise of backbreaking upkeep and maintenance, year-after-year. And even that is not enough to prevent the inevitable cracking, splitting and warping of your deck boards over time.





## EASY TO INSTALL

### Easy To Install Decking That's Hassle-free.

Installing composite decking is made easy with NeoWood. A product that is built with users in mind, our composite decking boards, and accompanying fixings are smart installation solutions that make installation both quick and easy. Whether you have a timber subframe already in place, or you require the full long-life decking and subframe kit, NeoWood offer well designed easy to install decking products, as well as bundles of advice resources and tips on how to install them.

### A Composite Decking Clip System That Keeps Things Simple

NeoWood FastClip products are designed to be used hand-in-hand with composite boards in order to offer a secure, long-life and discreet fixing solution. We remove the requirement to face-fix (or screw) each board and instead, adopt the solution of fixing clips to your subframe, which our boards are then securely joined to. The key benefits of using our FastClip system are as follows:



- Easy And Fast Installation**  
As the name suggests, this solution is just as quick as screwing boards down... They simply click into place.
- A Purpose Built Solution:**  
Our FastClips are designed to allow appropriate gaps between boards to allow for expansion and drainage.
- Removing Boards Is Made Easy**  
You can remove boards without the threat of incurring damage, unlike removing timber boards.
- You Retain Your Warranty**  
Purpose built to work hand-in-hand with the deck board, using our fixing clips will ensure you retain NeoWood industry-leading warranty.

### More Features That Make Installation A Doddle



#### Easy-Cut Composite Decking

A common myth is that composite decking is difficult to cut, making installation time consuming and hard work. However in reality, our deck boards cut very much like timber. In fact, the same woodworking tools you would use with wooden decking will cut through our composite deck boards with ease.



#### Easy Install Of Your Finishing Touches

Upon fixing your final board, you are on the last stretch of the install: applying your finishing touches with NeoWood trim options. This is simply done by screwing through the face of the trims into either the board or subframe. A secondary fixing method of gluing the inside of the trims can also assist for extra hold.



## WOOD EFFECT COMPOSITE DECKING

### Introducing a premium woodgrain finish that offers unrivalled authenticity.

We have adopted the philosophy that if we want to outcompete timber, then we must match its beauty. We continue to perfect and improve the authenticity of our boards in order to create high quality woodgrain finishes across our entire range. Explore why each of our wood effect composite decking ranges is best in class when compared to alternatives...



### An Embossed Finish Over A Printed Wood-Effect Deck

With NeoWood embossed wood grain composite decking finish, flat spots and plastic-feel finishes that have so long been associated with composite decking products are a thing of the past. In mimicking the depth of timber's grain patterning, our entire range of decking comes finished with an embossed "3D" woodgrain finish.

This etched finish is achieved through NeoWood adopting an alternative manufacturing method to most, who simply print a wood-effect pattern on the surface of the board. This method is guaranteed to provide the board with an artificial finish which loses its prominence and definition over time and this means that the once refined finish of your composite boards will fade.



#### Our Traditional Range Offers A Deep And Textured Finish

The wood-effect finish of our traditional composite decking ranges (Bamboo Series) is a deep, matt finish that mimics the knots and grains of timber, while the colour of the woodgrain is dispersed consistently along the length of the deck board. The depth of the finish not only provides an authentic finish that remains consistent, it offers added functionality too: improving the slip-resistance of the surface of the board.



#### Deluxe Series Offer A Bicolor Appearance

Designed to emulate the deep, multi-tonal colouring that gives timber its beauty, our NeoWood capped products offer a decking solution that provides outdoor spaces with personality in abundance. Because we disperse colour sporadically along the length of our Deluxe "capped composite" boards, we aim to match the inconsistencies that often give timber its character. This unique design brings life to our product, offering a more refined and authentic finish.

### A Wood Grain Composite Decking Finish That Stands The Test Of Time

It is no secret that the effects of the seasons can often leave timber decking looking lifeless and dull without proper upkeep and back breaking maintenance. Our hassle-free range of composite decking is designed to retain its good looks – continuing to delight as the years go on. What's more, the capped shell technology that covers our Deluxe Boards guarantee unparalleled UV fade resistance – ensuring that the rich and full colour lasts, even after numerous summers of sunshine.



## DELUXE



Our entire range of composite decking comes equipped with and provides our customers with ultimate control over what best suits their project, a feature that makes each NeoWood product range truly stand out. We believe that the decision between the two comes down to three main factors that should be considered: appearance, slip resistance and maintenance. We believe it's important for customers to consider all three before installation.



### Appearance

Your choice to go for brushed tiny lines or grain is very much determined by your personal preference on the appearance of the finish. The superior woodgrain finish of our boards is what we believe truly sets it apart from others in the market: the texture, depth and finish are elements that we have worked tirelessly to improve. This is a finish that is not always achievable with timber alternatives due to issues with slip resistance and this is why it proves such a desirable option for many.

Others will opt for the more uniform look of the brushed tiny lines finish. This is more in-keeping with traditional timber projects and is an attractive option for those that feel this provides a more contemporary finish.

### Anti-Slip Finish

One prominent feature of our deck boards is their slip-resistance rating. The engineered nature of the product allows us to experiment with and improve the textures and surfaces of our boards to ensure that the surface provides a safe level of slip-resistance. The varied finishes of each of our composite decking ranges means that naturally, each board has slightly differing anti-slip ratings.

The grooved-channel finish of our decking boards will, as you may expect, always have a higher anti-slip rating than the woodgrain finish. The deep grooves on the surface of the boards provide more traction under foot, so if this is a key consideration for your project – take our advice and opt for the grooves!

### Maintenance

Our reversible composite decking represents a low-maintenance flooring solution that requires little up-keep over its long lifespan. We are firm believers, however, that a little housekeeping always helps maintain your outdoor space.

We found that the smoother surface of the “non-grooved” woodgrain textured finish of our deck boards is slightly easier to clean, as it removes the issues of build-up of dirt, mud and grime sitting in grooves of the deck.

That being said, we believe a regular brush of our grooved-finish boards will remove excessive build-up and keep them looking as good as new!



## **NON SLIP**

Choosing the right non slip decking finish for you.



Engineered with safety in mind – our slip resistant composite decking comes in a range of anti-slip surfaces that give users the reassurance that their outdoor flooring will remain a safe place to play, entertain and relax.

While there is no such thing as 100% non slip decking, we understand the importance of ensuring that the surface of our boards provide a level of slip resistance that ensures a safe deck all year round. A unique blend of composite material that inhibits the growth of nasty slip hazards like algae, as well as reversible textured finishes that give you the reassurance that from day 1 – your boards will offer a safe flooring surface.

Below, we look at what makes NeoWood the ideal anti slip composite decking brand...

### **Slip Resistance And Material Finish**

The slip resistance of your deck area is determined primarily by the texture of the deck board's finish. In providing ultimate versatility, NeoWood composite deck boards come in two reversible finishes, allowing customers to opt for a woodgrain or grooved-channel texture. Naturally, these two differing material finishes offer slightly different resistance to slipping. While the groove-channelled side provides the most traction underfoot, we have worked hard to ensure that our woodgrain finish is a deep, textured surface and have removed flat spots to provide more slip-resistance than most woodgrain finishes on the market.

What's more – the material finish of our traditional composite decking boards (Bamboo series) are different to that of our capped composite decking boards (Deluxe series) and in turn, they have differing slip-resistance ratings.

### **Slip Resistance And Laying Patterns**

The direction in which you lay your deck boards has an important bearing on the slip resistance of your decking area. When testing the slip resistance of each finish – we experienced a difference between the performance of the longitudinal and horizontal direction of the boards. For the most slip-resistant finish, we recommend laying your decking in an adjacent direction to the direction of the main flow of footfall traffic. We recommend that customers consider this in the "pre-installation" planning phase of their project.



### **Mould And Mildew Resistance**

Aside from the material finish, the slip-resistance of your deck area is determined by your board's resistance to organic growth such as algae, mould and mildew. Year after year of moisture build up allows this nasty organic growth to multiply and ensure that the finish on any outdoor surface is not only unsightly, but slippery too. What's more, this type of material has a habit of consuming the timber material and makes it incredibly hard to remove entirely. The material make up of our non slip composite decking makes it resistant to this type of growth and provides users with certainty that the slip resistance of their outdoor flooring will remain consistent throughout its life.

## **Common Issues Faced By Some Decking Alternatives**

### **Timber Decking**

Timber decking is left exposed to relentless weathering and often succumbs to moisture build up. Owners of this type of decking will know that over time, their deck can become a breeding ground for algae, mildew and moss – which is the biggest contributor of a slippery deck area. Fortunately, the plastic and timber composition of our decking means that they are highly resistant to the effects of this type of growth and therefore impacts the board's general slip-resistance.

### **Competitor Brands Of Composite Decking**

As outlined above, the key to ensuring a slip-resistant flooring is to enhance the texture and depth of its finish. The two material finishes of NeoWood deck boards offer an etched finish. On the flip side, a common sight of alternative composite decking brands, however is a printed, artificial and flat woodgrain finish that performs poorly from a slip resistance perspective and naturally ensures that NeoWood anti slip composite decking products outperform them on this front.



## FADE RESISTANT

Decking that's resistant to the effects of weathering.



The reality for a lot of timber decking owners is that when the sun shines and the garden comes to life – the deck area often does the opposite. An issue that plagues most timber

decking boards is fading from the effects of weather: mainly from UV rays and the rain. The natural oils and pigments within timber decking react with both the rain and UV to drain them of their colour, resulting in a dull tone that can leave timber decks looking tired and run down. The effects of this process are so prominent with timber that not even regular and thorough staining can halt the inevitable reaction from occurring.

NeoWood fade resistant decking provides reassurance that repeated summers of sunshine won't damage and effect the look and finish of the boards. Because we finely balance the material composition of our boards with just the right level of UV inhibitors, they outperform timber alternatives when it comes to fade resistance. That being said, the level of fade resistance does vary between our ranges, and below we outline the core differences...



### Our Capped Composite Weather Resistant Decking

A major benefit of our capped composite weather resistant decking boards (the Deluxe series) is their ability to remain highly fade resistant throughout their entire lifetime.

Equipped with an ultra protective polymer shell that is incredibly resistant to the effects of weathering, this board is designed to protect the oils and pigments in the core of the deck board. The non-organic shell is a material that guarantees a high level of fade resistance throughout its life.

Because our traditional composite decking boards (Bamboo Series) consist of 50% wood powder and are not protected by a shell like our deluxe ranges capped products, the natural oils and pigments within the boards are slightly more exposed to the effects of the weather. While care is taken to reduce the effects of this by mixing the composite material with UV inhibitors, it is important to note that this board type isn't totally resistant to weathering and shall undergo a colour change.

### Our Traditional Composite Decking



Before Weathering

After Weathering

This means that within the opening 3-6 months of installation, the deck boards will lighten up to reach what is regarded as their 'weathered colour tone'. In reality, this means that the colour tone of the boards you receive initially will be darker than how they will appear after the weathering process has taken place. The rate of colour change after this process has taken place, however, will remain minimal as the colour of the boards stabilise. We only showcase project imagery of the traditional boards on our website that have undergone this weathering process – giving you a true representation of how you can expect your deck boards to look once they have reached their weathered state.



## FIRE RATED



### NeoWood fire rated composite decking is in keeping with the industry norm for WPC products at Class C (EN 13501-1)

Now more than ever, purchasing fire-rated building materials is of great importance for all new and existing building and renovation projects and for this reason, we are committed to ensuring that all potential and existing customers are informed on the quality standards that our composite boards meet in this regard. We understand that being in the know when it comes to specifying a product for your project is of paramount importance to ensure safety, but also guaranteeing that the specified product performs as it should. Below, we explore the in's and out's of fire ratings and provide you with the peace of mind that you know where you stand when using NeoWood composite decking for your project.

We clarify the definitions of a "fire rating", as well as outline exactly what a "Class C" rating means under European Standards. Not only this, but we provide you with the peace of mind as to exactly where NeoWood fire rated composite decking can be installed given current building regulations.

### What Is A Fire Rating Classification?

A fire rating classification is a system that evaluates a product or building element's resistance to fire. For a product to be used in a construction project that complies with building regulations, it must pass "European Standard" tests regarding fire resistance and protection. Put simply, it is a classification or seal of approval that provides users with a guarantee that the product they choose is fit for purpose, and most importantly, safe for that application.

Fire rating is achieved through a series of product tests and while numerous classification systems exist, the most widely recognised is EN 13501-1: Fire Classification of Construction Products and Building Elements. This classification is a test procedure that examines the burning behaviour of a given building product, with focuses mainly on the product's combustibility, heat levels, flame spread and smoke release. The BS EN 13501-1 rating system includes 7 tiers of classification, ranging from A1, which signifies the highest-performing, to F, which signifies the worst-performing.

Classification	Definition	Description
A1	Non-Combustibility	No contribution to fire
A2	Limited Combustibility	No contribution to fire
B	Combustible	Limited contribution to fire
C		Minor contribution to fire
D		Medium contribution to fire
E		High contribution to fire
F		Easily flammable

### Class C Fire Rated Composite Decking By NeoWood

The classification of NeoWood composite decking is in keeping with the industry norm for wood composite products and stands at Class C. The exact classification of NeoWood composite deck boards is "Cfl-S1" (EN 13501-1).

#### What does the "C" relate to?

The "C" part refers to the fire behaviour of the product and a rating of "C" is described as a "minor contribution to fire".

#### What does the "S" relate to?

The "S" part of the classification refers to smoke emission (or release) during combustion: S1 is classified as the quantity/speed of emission as being weak – which is the highest classification available.



## ECO FRIENDLY



**Long-lasting eco friendly composite decking.**  
**Eco decking made from recycled plastic and wood fibre.**  
**Responsibly sourced decking boards.**

Environmental causes are amongst our customers highest priorities – and we are proud to say that, as a responsible company, NeoWood takes this cause to heart. As a result, we ensure our eco decking products have as little impact on the environment as possible.

### Environmentally Friendly Decking

Take for example the base materials we use in our eco composite decking boards: 100% of the plastic is recycled and the wood chippings we use would otherwise have ended up in landfill. So we responsibly source recycled products and combine them to produce a sustainable, base material for our environmentally friendly composite decking boards. What's more, is that this resulting composite material is, in many ways, a superior product.

### Built For Endurance

'Buy once, buy well' is our mantra. We want our customers to know that when they have committed to our products, they will be well served by them for decades to come. In fact, for most homeowners, buying NeoWood eco friendly decking is often a once in a lifetime event. As a result, we like to reward our residential customers with a 10 year warranty for bamboo series and 25 year warranty for deluxe series.

NeoWood recycled decking boards do not rust, splinter, warp or split: they look great and keep their structural integrity for years longer than their wood or plastic alternatives. And, because of the guaranteed longevity of our products compared to the average timber equivalent, we reduce the number of times you will need to discard and replace your decking.

### Low Maintenance

There's minimal maintenance on NeoWood recycled composite decking boards. All we recommend is a little soapy water if you want to clean them. There's no need to be using harmful decking oils, stains or paints.

### Safety

In addition to caring for the environment, we are also very focused on promoting the health and well-being of the NeoTimber workforce. We provide a safe and progressive working environment in which members of the team have their welfare supported and are continually encouraged to up-skill.





### Embossed Woodgrain

A premium etched woodgrain finish for the ultimate authentic appeal.

### Hollow Core Design

Hollow composite deck boards with an innovative tube design.

### High Slip Resistance

In all weathers, non-slip composite decking gives the grip you need.

### Dual Tone Colour

Dual-tone colours add depth, texture and intrigue to your deck.



# BAMBOO COMPOSITE DECKING

At last, a lightweight, hollow composite decking product with the quality that our customers have come to expect. We set out to develop a hollow composite board which retains its structural integrity, durability and authentic looks – and we believe that in the Bamboo series, we did just that. Explore why NeoWood Bamboo series is a product that offers more value than most.



#### Board Dimensions

150mm x 23mm x 2900mm



#### Easy To Install

'hidden' FastClip system



#### A Full Range

of compatible  
supplementary accessories



#### A Hollow Tube Design

That's lighter yet  
still strong and durable




#### Traditional WPC

blend of wood powder and  
recycled plastic





# 15023



## HOLLOW TUBE DESIGN

The Bamboo range comes equipped with a hollow 'tube' design, which promises a lightweight composition without a compromise. What's more, we remove a fraction of the material within the core in order to better match the strength of the board's solid alternative.



## REVERSIBLE FINISH

Some people prefer a woodgrain finish - some prefer grooves. Our Bamboo range of composite deck boards has both on a single plank. One side is a authentic woodgrain finish for a natural look, while the reverse is a grooved pattern for a more contemporary feel.



## EMBOSSED WOODGRAIN FINISH

A deep, textured woodgrain is a sight rarely seen on hollow deck boards. With many manufacturers tending to simply print a wood effect on the surface. The Bamboo range stands head and shoulders above the rest with an etched, deep finish.



## NeoWood Deck Colour



TK (Teak)



MG (Mahogany)



NY (Nyatoh)

Note – Studio photography and/or your browsing device may not give an accurate representation of the colours.



### Very Low Maintenance

All our boards are hard-wearing and easy to maintain.



### No Rotting Or Warping

A unique material composition resistant to the damaging effects of moisture build-up.



### 10 Years Residential Warranty

High-quality, long-lasting products with a 10-years warranty.



### 5 Year Commercial Warranty

A solid 5-year commitment of durable decking for commercial applications.



### No Treatment Required

No need to paint, oil, stain or seal the deck boards.



### No Splintering

The material composition ensures long-term safety and assurance



### Strength And Durability

Unlike timber, our boards retain their strenght and durability throughout their life



### Eco-Friendly

A long-lasting material composed of a blend of recycled plastic and wood fibres

NeoWood Bamboo composite decking range delivers the benefits of our innovative composite decking material in a more affordable, lighter weight design that's easy to handle and install. Offering a little more than most, the range comes equipped with a hollow tube design, an embossed woodgrain aesthetic, and reversible finish, which ensures high slip-resistance and reassurance. What's more – its weather resistant properties and heavy-duty construction allows us to offer an industry-leading residential warranty of 10 years.





### Easy Clean Finish

A co-extrusion composite finish that ensures easy cleaning and less hassle.

### Fade Resistant

UV-inhibitors prevent bleaching by the sun for a long-lasting colour.

### Strong Material

Strong to the core, Deluxe series composite decking is your total solution.

### Dual Tone Colour

Dual-tone colours add depth, texture and intrigue to your deck.



# DELUXE COMPOSITE DECKING

A strong gone through co-extrusion process, densely packed composite core concealed in a hardy outer shell, our Deluxe decking provides the ultimate peace of mind to those seeking a weather-resistant flooring solution that stands the test of time. Strength, durability and weather resistance are not the only things this board has in its locker, however. An exceptionally authentic finish is guaranteed to provide your outdoor area that has a distinct identity and premium feel.



#### Board Dimensions

140mm x 25mm x 2900mm



#### Easy To install

"hidden" FastClip system



#### A Full Range

Full range of compatible accessories



#### Four-Sided Capping

360-degree protection




#### Capped WPC

core that is encapsulated in an outer shell





# 14025



## FOUR-SIDED CAPPING

The outer capping applied to our Deluxe range acts as a protective barrier to the board's inner core, shielding it from the effects of excessive fading and staining. The Deluxe board is exceptional in holding its premium finish and colour.



## REVERSIBLE AND VERSATILE

Unlike other capped composite boards, our Deluxe range comes with a 360-degree capping that wraps the entire board. This results in not only superior protection from the elements, but also offers a reversible colour. The choice between grooves or woodgrain is yours.



## DUAL-TONE AUTHENTICITY

A two-tone colour variation and an authentic finish provides the Deluxe board with a striking appeal that offers an excellent basis for any outdoor space. We engineer the finish of the boards to mimic the appealing texture and distinct aesthetic of timber.



## NeoWood Deck Colour



Burmese Teak



Rosewood



Heritage



Acacia Wood

Note – Studio photography and/or your browsing device may not give an accurate representation of the colours.



### Very Low Maintenance

All our boards are hard-wearing and easy to maintain.



### No Treatment Required

No need to paint, oil, stain or seal the deck boards.



### No Rotting Or Warping

A unique material composition resistant to the damaging effects of moisture build-up.



### No Splintering

The material composition ensures long-term safety and assurance



### 25 Year Residential Warranty

High-quality, long-lasting products with a 25-year warranty.



### Strength And Durability

Unlike timber, our boards retain their strength and durability throughout their life



### 10 Year Commercial Warranty

A solid 10-year commitment of durable decking for commercial applications.



### Eco-Friendly

A long-lasting material composed of a blend of recycled plastic and wood fibres







NeoWood original capped composite decking range, the Deluxe Deck Board combines the beauty of natural wood with our toughest, most resilient finish. A hard-wearing, stain resistant capping and a low water absorption rate deliver excellent resistance to the elements, providing the guarantee of even less maintenance. Balance this with a high UV resistance and the result is a premium, authentic finish that remains prominent year-after-year.



## Which composite deck board is right for you?

Take your pick from NeoWood range of four composite deck boards, of which come in the five most popular colours (Teak, Redwood, Walnut, Coffee and Charcoal). Choose the affordable hollow Bamboo series or upgrade to our third-generation composite decking planks: the hollow capped composite Deluxe series.


All of our composite decking boards are more durable and longer-lasting than traditional wood. It's all low maintenance – with no need for painting or staining. Made from an advanced formula of wood fibres and plastic, NeoWood looks and feels natural underfoot, but unlike wood, NeoWood composite decking boards are resistant to costly problems such as warpage, mould, insect damage and rot.

	Bamboo	Deluxe
		
	<b>Hollow Traditional Composite</b> Recommended for residential decking projects.	<b>Hollow Capped Composite</b> Recommended for residential & commercial decking projects.
Board Size	150mm x 23mm x 2900mm	140mm x 25mm x 2900mm
Weight Per Board	7.9kg	8.1kg
Low Maintenance	★★★★☆	★★★★★
Durability	★★★★☆	★★★★★
Fade Resistance	★★★★☆	★★★★★
Stain Resistance	★★★★☆	★★★★★
Slip Resistance	★★★★☆	★★★★☆
Colour Option		
		
	<b>Reversible</b> Grooved Or Wood-Grain Sides	<b>Reversible</b> Bicolor with real Wood Grain or Brushes Tiny Lines Side
	10 years warranty domestic, 5 years commercial	25 years warranty domestic, 15 years commercial

## 360° DECKSHIELD PROTECTION

6G OUTDOOR DECKING SYSTEM

Part of Deluxe Composite Decking unique characteristic is the co-extrusion layer that fully wraps around every piece of the board. this 360 outer layer is extremely tough and includes a uv inhibitor and anti-oxidant that provides added protection against fungus, mildew, water absorption, crumbling, staining, fading and wearing-off among other things.





## COMPOSITE DECKING ACCESSORIES



### Aluminium Squares Hollow Section Joist

- 25mm x 25mm x 3mtr Length
- Fully aluminium natural anodised
- Long lasting and will not rot

## Composite Decking Edging

### 140mm Fascia Board



- Solid traditional wood polymer composite material
- Available in matching Bamboo colours

### 138mm Fascia Board



- Co-extrusion encapsulated material
- Available in matching Deluxe colours

### L Angle 50mm X 50mm



- Solid wood polymer 'capped' composite material
- Available in matching Bamboo & Deluxe colours

## Composite Decking Fixings

### Stainless Steel Starter/end Clips



- Each pack contains 100 clips
- Easily align 'deck-area' borders and ensure perfect fit
- Made from tough stainless steel

### Stainless Steel Fastclips



- Each pack contains 100 clips
- FastClip ensures consistent 3mm gap between boards
- Made from tough stainless steel

### 5mm Nylon Plastic FastClip Set



- Each pack contains 100 clips
- FastClip ensures consistent 6mm gap between boards
- Made from tough plastic

### Black Stainless Steel Screw



- Each pack contains 100 screws
- Screw dimensions: 5mm x 30mm
- Made from tough stainless steel



WATER  
RESISTANT



TERMITE  
RESISTANT



FIRE  
RETARDANT



ENVIRONMENTAL  
FRIENDLY



NO  
FORMALDEHYDE



NON  
TOXIC



# NeoWood Wall Cladding




## Find Your Shades of Brown

Inspired by colors found in nature, our products come with a natural variation of colour tones, each having its own beautiful characteristics, wood grains, patterns, texture and finishes to complement any living space. Every single piece is unique.



## Installation Joining Points Sketch



## Accessories



Screw



Joist



L Angle



### Embossed Woodgrain

Carefully crafted, our deep embossed woodgrain enhances beauty and drainage.

### Easy Installation

Tongue and groove design for secure installation.

### Stain Resistant

NeoWood Bamboo resists stains, easy to clean.

### Fade Resistant

UV-protected Deluxe cladding maintains vibrant color.

# BAMBOO COMPOSITE CLADDING

Rendering renders your house obsolete; repointing is pointless, painting is a pain. For a strikingly modern aesthetic clad your home in the very latest NeoWood Bamboo composite cladding. Available in few stunning crisp, fresh colours, composite cladding works to effortlessly tie together old and new sections of your home. Increase your curb appeal, making your home ultra-modern. NeoWood Bamboo composite cladding is capped to resist all moisture, it is the latest in composite technology.



#### Board Dimensions

148mm x 21mm x 2900mm



#### A Full Range

of compatible  
supplementary accessories



#### Fire Rated

to Class B standards  
(EN 13501-1)



#### Capped WPC

core that is encapsulated in  
an outer shell





# 14821



## FADE AND STAIN RESISTANT

The Bamboo cladding board has UV inhibitors which prevent fading so cladding boards retain their bright tone throughout the lifespan. The capped composite Bamboo board is 100% waterproof meaning that spills and rainwater cannot seep into the cladding, unlike timber, and therefore will not stain.



## EMBOSSED WOODGRAIN

Timber has beautiful, natural characteristics. Taking our lead from nature, we have crafted the Bamboo composite cladding range to have a deep multi-layered embossed woodgrain, medullary rays and knots, to emulate real wood. With each shade having its own unique two-tone facets.



## FIRE RATED

We recognise that safety is of critical importance when specifying for a building project. All of NeoWood cladding products have been fire tested, Bamboo is rated as Class B fire rated.

## Available Colour



MG (Mahogany)



TK (Teak)



BL (Balau)

Note – Studio photography and/or your browsing device may not give an accurate representation of the colours.



### Very Low Maintenance

All our cladding boards are hard-wearing and easy to maintain.



### No Treatment Required

No need to paint, oil, stain or seal the cladding boards.



### No Rotting Or Warping

A unique material composition resistant to the damaging effects of moisture build-up.



### No Splintering

The material composition ensures long-term safety and assurance



### 25 Year Residential Warranty

High-quality, long-lasting products with a 25-year warranty.



### Strength And Durability

Unlike timber, our cladding boards retain their strength and durability throughout their life.



### 10 Year Commercial Warranty

A solid 10-year commitment of durable decking for commercial applications.




### Eco-Friendly

A long-lasting material composed of a blend of recycled plastic and wood fibres

NeoWood have a long tradition of providing quality composite cladding to homeowners and the building trade alike. The Bamboo Cladding Board is built with a strong composite core and a polymer shell to provide greater protection against the elements. Low maintenance and easy-to-install, the NeoWood Bamboo Cladding Board is embossed with an authentic deep woodgrain texture finish. Buy our Bamboo composite cladding and you'll be protected by our industry-leading 5-year commercial and 10-year residential limited warranty.



# Neowood Vinyl Composite



Suited for Interior Designing

**FLUTED WALL PANEL**  
**PVC CEILING PANEL**  
**PVC CEILING DECK**



# What You Will See

Made with foamed vinyl, install these beautiful indoor wood replacement boards on any flat surfaces such as wall, ceilings, cabinets and so on.



## Maintenance Guide:

- 25-year manufacturer's limited warranty.
- No painting or coating is required.

### Lightweight Foamed Vinyl Composite

- Homogenous wood grain (non-laminated or printed)
- Lightweight (reduce weight load on roof trusses & easy to transport, handle & install)
- Fire retardant
- Waterproof
- Mildew resistant
- Termite-proof
- Noise dampener
- Heat insulation



## Why Homogenous Foamed PVC?

Homogeneous finishing materials allow for a natural wood grain effect, and are solvent resistant as compared to laminated or printed surfaces. It is made to last.



## THE BATHROOM



PVC Wall Panel



PVC Wall Panel



PVC Wall & Ceiling Panel



PVC Wall Panel

## THE HALL



PVC Ceiling Deck



PVC Ceiling Panel



PVC Ceiling Panel



PVC Wall & Ceiling Panel



## THE ROOMS



PVC Wall Panel



PVC Wall Panel



PVC Ceiling Panel

## THE CEILING



PVC Ceiling Panel



PVC Ceiling Panel



PVC Ceiling Panel



PVC Ceiling Panel



# Find Your Shades of Brown

Inspired by colors found in nature, our products come with a natural variation of colour tones, each having its own beautiful characteristics, wood grains, patterns, texture and finishes to complement any living space. Every single piece is unique.



Golden Pine



Golden Teak



Okoume



Nutmeg



Red Teak



Ebony



White



Black



Grey





# FLUTED WALL PANEL

WOOD PLASTIC COMPOSITE



## Fluted Wall Panel

This surface deco panels offer a uniform composition, natural and random wood grain patterns to cater for modern interior decorating trends.

### Applications :

Typically used for interior environments living room, bedroom, office, showroom, hotel lobby, bathrooms, door panels (can also be used for ceiling designs)



Model

## W21520 3-hole



Size: 215mm x 20mm x 3050mm

Surface: Matt

Create your take on shiplap walls with wide boards that can be placed vertically or horizontally.



GOLDEN TEAK



NUTMEG



OKOUME



GOLDEN PINE



BLACK



WHITE



GREY



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde  
Emission



Easy  
Installation

• NeoWood products (Fluted Wall Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.

• If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!

• All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.



Model

## FP15925 4-hole



Size: 159mm x 25mm x 3050mm

Surface: Matt

This panel is perfect for wide spaces with a more protruding design.



NUTMEG



NUTMEG



OKOUME



GOLDEN PINE



BLACK



WHITE



GREY



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde  
Emission



Easy  
Installation

• NeoWood products (Fluted Wall Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.

• If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!

• All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.



Model

## FP1579 5-hole



Size: 157mm x 9mm x 3050mm

Surface: Matt

Giving off a wood strip appeal that is both sleek and rustic.



OKOUME



GOLDEN TEAK



NUTMEG



GOLDEN PINE



BLACK



WHITE



GREY



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde  
Emission



Easy  
Installation

- NeoWood products (Fluted Wall Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.
- If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!
- All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.

Model

## FP16915 8-hole



Size: 169mm x 15mm x 3050mm

Surface: Matt

A slim and sleek look often seen in modern styling to draw point of interest to walls.



BLACK



GOLDEN TEAK



OKOUME



GOLDEN PINE



NUTMEG



WHITE



GREY



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde  
Emission



Easy  
Installation



• NeoWood products (Fluted Wall Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.

• If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!

• All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.



# PVC CEILING PANEL

WOOD PLASTIC COMPOSITE




## PVC Ceiling Panel

Embrace Biophilic design with sleek and simple boards that can be easily mounted on walls and ceilings. With natural wood patterns & a wide colour range, available in hollow and solid series.

### Applications :

Typically used for interior environments living room, bedroom, office, showroom, hotel lobby, bathrooms, kitchens



A warm and cozy touch to any room, the Hollow Ceiling Panel is lightweight, cost efficient & easy to run wires through.

## Model **C11218** (Hollow)



Size: 121mm x 8mm x 3050mm

Surface: Matt

Golden Pine



Okoume



Golden Teak



Ebony



Red Teak



Nutmeg



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant




Low Formaldehyde  
Emission



Easy  
Installation


- NeoWood products (PVC Ceiling Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.
- If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!
- All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.





A "Class "0" fire retardant (Classified no flame Spread by the Fire Department of Malaysia, the highest class complying to BS 476 Part 6 & 7) Very closely resembling wood, these planks are strong & durable.

## Model **CI12012** (Solid)



Size: 120mm x 12mm x 3050mm

Surface: Matt



Red Teak



Golden Pine



Golden Teak



Okoume



Nutmeg



White



Ebony



Anti Termite



Water Resistant



Inflaming Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde Emission



Easy Installation

- NeoWood products (PVC Ceiling Panel) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.
- If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!
- All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.

# PVC CEILING DECK



WOOD PLASTIC COMPOSITE

## PVC Ceiling Deck

Splinter-free, water resistant, anti-fungal & low maintenance. These PVC decks are wood with various benefits.

### Applications :

With its water-proof quality, these ceiling decks can be used indoors or for exterior locations away from direct sunlight – bedroom, office, living room, hotel lobby, porch.



Okoume




Golden Pine



Golden Teak



Nutmeg



Model  
**C4095**

Size: 40mm(W) x 95mmZ(H)

Surface: Matt



Anti Termite



Water Resistant



Inflaming  
Retarding



Eco-Friendly



Stains Resistant



Fade Resistant



Low Formaldehyde  
Emission



Easy  
Installation

- NeoWood products (PVC Ceiling Deck) are subject to natural variations in colour and pattern as part of the manufacturing process in different production runs or batches. Each batch of raw material delivered to us may vary from batch to batch, as they are acquired from natural elements and sources.
- If you are looking for a uniform look, we encourage you to purchase a sufficient quantity of the same production batch to help minimise colour-matching issues. Similar to any other natural product, one expects to find shade variation. This, in turn, better emulates what you find in real wood!
- All images are for illustration purposes only. There may be a disparity between the colours of the products and images seen in this brochure due to printing and lighting factors.



# ACCESSORIES

PVC L-angle

Model

**L2828**

28mm(W) x 28mm(T)

Color :



PVC Lining

Model

**L0328**

28mm(W) x 3mm(T)

Color :



Panel Clip

Model

**C4330**

43mm(W) x 30mm(T)

\* Use for Wall Panel



# PVC GUIDES

## General Cleaning

Homogeneous finishing materials allow for a natural wood grain effect, and are solvent resistant as compared to laminated or printed surfaces. PVC panels are known for being both robust and flexible, which makes them easy to install, maintain, and clean.

1. To clean your PVC panels, all you need is a soft cloth, warm water, and a gentle non-abrasive cleaner or washing up liquid.
2. Once you have everything you need, start by covering the entire surface of your panels with warm water and your chosen cleaning product using your soft cloth.
3. When your panels are clean, rinse them with warm water.
4. To prevent streaks, you can dry your panels with a dry soft cloth.



## Storage And Handling

Always handle with care during loading or unloading. NeoWood products should be protected and stored from weather elements.

Store on a dry and flat surface supported at a maximum 450mm centers.

When handling or removing the boards from the packs, pay attention to avoid scratches and damage. Do not slide the boards against each other. Instead, lift the boards apart before moving. If boards need to be moved individually, then the boards should be carried on their edge. Avoid dragging any objects across the surface, always lift and set them back down.



# Neowood SPC Flooring



Suited for Interior Designing

## What is SPC Flooring?

SPC VINYL FLOORING stands for stone polymer composite VINYL FLOORING. Similar to WPC VINYL, an SPC VINYL is an engineered luxury VINYL that combines limestone and stabilizers to create an extremely durable core.

While SPC FLOORS are denser and resistant to major impacts, both FLOORING types are resistant to scratches and stains. They hold up well to wear and tear even in high-traffic areas of the home. ... They are made to be installed on top of just about any type of subfloor or existing floor. NeoWood bring you various choice of SPC Flooring with different thickness of 4mm to 6mm available. SPC Flooring is suitable for wet areas such as the kitchen, basement, restaurant and cafe.

# PRODUCT FEATURES


DURABLE UV LAYER

WEAR RESISTANT TRANSPARENT LAYER

HD DECORATIVE LAYER

SPC (STONE POLYMER COMPOSITE) CORE

EVA (ETHYLENE-VINYL ACTATE)FOAM PAD



## Specifications Dimensions & Measurement



180mm x 1220mm x 4mm/6mm



1ctn = 10 panels  
(23.9sqft/pc)



1 pallet = 65 cartons  
(1553.5sqft / pallet)



Weight = 19.1 kg/ctn



Gloss level: matt (5-8")



4 Sides micro bevel

## ADVANTAGES



### Superior Moisture Resistant

Its raw material is stone powder and PVC. No water absorbability, will not be moldy because of humid.



### Fire Retardant

The fire protection index can reach B1 grade, second only to the stone. SPC FLOOR itself does not burn and can prevent combustion. The smoke produced by high quality stone floors is not harmful to human body when it is passively ignited, and no toxic and harmful gases are generated.



### Formaldehyde Free

The main raw material is natural stone power and plastic, without any radioactive elements, formaldehyde free, is a new green ground decoration material.



### Anti-slip

Wear-resisting layer surface has a special anti-skid, sticky water situations. More astringent, better antiskid effort. Public places with higher public safety requirements such as airports, hospitals, kidergartensand scools are the first choice of ground decoration materials.



### Easy To Install


Compared to traditional LVT, SPC flooring has a distinct advantage because it is rigid core, which can hide many imperfections of subfloor





# SPC FLOORING

No matter the design style you have in mind flooring is a smart way to add flair to your home's decor.



**Board Thickness**  
4mm or 6mm



**Board Dimensions**  
180mm x 1220mm



**Easy To install**  
Lock splicing and glue-free



**Fire Rated**  
to Class B standards  
(EN 13501-1)





**4808** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6808** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4829** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6829** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4818** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6818** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4889** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6889** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4885** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6885** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4828** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6828** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4888** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6888** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4838** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6838** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4886** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6886** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



**4848** 1220 x 180 x 4mm  
12pcs / ctn (28.5sqft)

**6848** 1220 x 180 x 6mm  
8pcs / ctn (19sqft)



Superior  
Moisture  
Resistant



Will Not  
Expand or  
Contract



Easy to Install



Installation  
on any surface



Superior  
Scratch  
Resistance



Reduces  
Noise



Pet friendly



Warranty

NeoWood SPC Flooring offers durability, moisture resistant, easy installation, authentic wood aesthetics, stain resistance, an exceptional warranty, and versatility for residential or commercial spaces. Elevate your floors with NeoWood SPC Flooring.



# OUR TEST REPORT & CERTIFICATES

**TEST REPORT**

REPORT NO.: 2019/02012 PAGE: 1 OF 4

**THIS TEST REPORT IS ISSUED IN REPLY FOR SOFT COPY**

**Client:** WOOD PLACE (M) SDN BHD  
No. 17, Jalan 5/2a, Taman Industri Belaga Jaya,  
43000 Banting, Selangor

**Manufacturer:** SIMEE AS ABOVE

**Product:** PVC COATING STEP DECK

**Substrate:** 100 x 20 x 10mm (mm) x 10mm

**Description of Test:** Fire Test on Stepping Staircase and Staircase  
Part of Test for Fire Propagation for Products

**Description of Test:** Stepping Staircase, Step 100 x 20 x 10mm (mm) x 10mm  
Date of Test: 2019-07-10  
Time: 10:00 AM  
Density: 1.02 g/cm<sup>3</sup>

**Date Received:** 2019-07-10

**Job Number:** 2019/02012

**Test Result:**

Substrate 1	Substrate 2	Substrate 3	Fire Propagation Index II
0.0	0.0	0.0	0.0

**Issued Date:** 14 July 2019

**Approved Signatory:**    
(2019/02012) Testing Executive  
KIM MUSA Head  
Fire Protection Section  
Testing Services Department

**TEST REPORT: 2019/02012-01-01**

Date: 10 JUL 2019 Tel: +65 6881 5511 Fax: +65 6778 4009

Client's Ref: 01-01-01-01-01-01

**SUBJECT:** Analysis of Product Substances for "WOOD COMPOSITE PRODUCT" Sample

**ANALYST:** Goh A. Poon Sui Bhd  
No. 17, Jalan 5/2a,  
Taman Industri Belaga Jaya,  
43000 Banting, Selangor

**APPROVAL:** Mr. Goh Poon Sui

**DESCRIPTION OF SAMPLE:** One sample submitted as "WOOD COMPOSITE PRODUCT" and received on 10 JUL 2019.

**DATE OF TEST:** 10 JUL 2019 - 10 AUG 2019



**Substance:** PVC COATING STEP DECK  
Date of Test: 10 JUL 2019  
Time: 10:00 AM  
Density: 1.02 g/cm<sup>3</sup>

**Approved Signatory:**    
(2019/02012) Testing Executive  
KIM MUSA Head  
Fire Protection Section  
Testing Services Department

**MyHIJAU • MARK**



This is to certify that

**WOOD PLACE (M) SDN BHD**

17, Jalan 5/2a, Taman Industri Belaga Jaya,  
43000 Banting, Selangor

has the rights to use the MyHIJAU Mark on the following item:

(Refer to Schedule Page for more details)

**Compliance Category:** Green Label Certification (ISO 14024 Type I ECO-Label)

**Certification Scheme:** Singapore Green Labeling Scheme

**Certificate No.:** MYHIJAU0019/16  
**Issue Date:** 08-06-2019  
**Expiry Date:** 08-06-2024



**Approved Signatory:**    
(2019/02012) Testing Executive  
KIM MUSA Head  
Fire Protection Section  
Testing Services Department



The Singapore Environment Council hereby grant

**WOOD PLACE (M) SDN BHD**

17, Jalan 5/2a, Taman Industri Belaga Jaya,  
43000 Banting, Selangor

the right to use the Singapore Green Label for

**NEOWOOD DECKING BOARD**

043-132-3357

Environmentally Preferred Product with Recycled and Sustainable Content

Environmentally Preferred Flooring

(Qualification to ISO 14024 Type I ECO-Label for Flooring, Floor and Wall)

Validity: 11 June 2022 to 10 June 2024



**JEN TEO**  
Executive Director  
Singapore Environment Council



1 Kio Road, #01-01  
Singapore 200012

**SGS**

**TEST REPORT**

No.: 2019/1102049  
Date: 08-06-2019  
Page: 1 of 6

**TEST A FLOOR DECK BOARD**  
NO. 17, Jalan 5/2a, Taman Industri Belaga Jaya,  
43000 Banting, Selangor

The following samples were submitted and identified below of the client as:

Sample Name: NEOWOOD DECKING BOARD  
Substrate: 100 x 20 x 10mm (mm) x 10mm  
Test Parameter: Fire Test on Stepping Staircase and Staircase  
Date of Receipt: 10 JUL 2019  
Test Period: 10 JUL 2019 to 10 AUG 2019

**Test Result:**

Substrate 1	Substrate 2	Substrate 3	Fire Propagation Index II
0.0	0.0	0.0	0.0

**Approved Signatory:**    
(2019/02012) Testing Executive  
KIM MUSA Head  
Fire Protection Section  
Testing Services Department



## A Perfect Blend of WPC Technology and Art with technology from Belgium



Homogenous  
Composition



25-Year Limited  
Warranty



Weather  
Resistant



Made in  
Malaysia



Sustainable



Low Embodied  
Carbon Material





**NeWood**  
WPC DECKING



**Get a Floor**<sup>TM</sup>  
*Your ideal floorcovering solution*

**WOOD PLACE (M) SDN BHD**  
1525170-T

**GET A FLOOR SDN BHD**  
1353860-U

The marketing arm of Wood Place Sdn Bhd for the Malaysia market.  
A One-Stop Service Center cum Showroom with Warehousing

Showroom & Warehouse 17 & 19, Jalan 5/1a, Taman Industri Selesa Jaya, 43300 Balakong, Selangor.

T : +603-8961 8982 / +6012-326 2896 / [www.getafloor.com.my](http://www.getafloor.com.my)